



ALBORZ

PATIO HEATER
Out Door



www.ntalborz.com
info@ntalborz.com

Heater Performance

- The Patio heater is new and innovative of heating system of Niroo Tahviah Alborz company's product. These series is applicable for such field as Garden Wedding Hall, Restaurant and Coffee Shop. The cap on top of the device causes the heat to accumulate in the underlying space.



Specifications

- Thermal capacity 11kw
- Running on NG and LPG
- Gas consumption is 0.5-1 kg per hour
- The unit provides heating space up to 120 – 150 cm radius



Safety

- Fitted with gas cylinder cover.
- Stainless steel body/shape (electrostatic painting).
- Equipped with pilot valve, with European Interlock safety design.
- Durability of push-button ignition (Piezoelectric ignition) is 5000 time.
- Features a dump switch, which stops the gas valve quickly in the event of reversal.



More comfort and convenience

- Highest thermal efficiency.
- No need to mains electricity.
- Low startup and maintenance costs.
- No need for Periodic Maintenance Service.
- A wheel assembly included, making it easy to transport.
- Heat transfer in high-speed flow and feeling of warmth in less than 2 minutes.



PATIO HEATER (OUT DOOR)



MODEL	PAG 110	PAL 110
Fuel Type	NG	LPG
Capacity (kw)	11	11
Heating Space (cm)	120 - 150	120 - 150
Fuel Consumption	0.7 - 1 m³/h	0.5 - 1 kg/h
Gas Pressure (mbar)	15 ... 20	20 ... 30
Weight (kg)	15	15
Dimenisions (H,L,W)(cm)	220 × 77 × 77	220 × 77 × 77



PATIO HEATER Out Door



Head Office

Address: No.59, Forsate Shirazi St., Tohid St
toward Tohid roundabout, Tehran, Iran

Tel: +98 21 53 829

Fax: +98 21 6656 1142

E-mail: nta@ntalborz.com

Factory

Address: East Mirdamad St., Shahid
Sabzevari Roundabout (second Roundabout),
Alborz industrial town, Qazvin, Iran

Zip-code: 3431975472

Tel: +98 28 33 829

Fax: +98 28 3224 7327

E-mail: info@ntalborz.com

